

*Continental*

SCREEN  
DOORS

WINDOW  
SCREENS

EASTERN



The word "Continental" is written in a large, elegant, cursive script. It is underlined with a thick, dark line. The text is set against a light blue background that features several white, five-pointed stars of varying sizes scattered around the logo.

# *Continental*

**SCREEN DOORS ★ WINDOW SCREENS**

**WINDOW SCREEN FRAMES**

**"DEFLEKTAIR" VENTILATORS**

**"ALL SEASON" COMBINATION**

**SCREEN AND STORM DOORS**



FACTORIES: Porter Screen Company, Burlington, Vt.,  
Owosso Manufacturing Company, Owosso, Mich., The  
Wabash Screen Door Company, Minneapolis, Minn.,  
The Wabash Screen Door Company, Memphis, Tenn.,  
Philadelphia Screen Manufacturing Co., Philadelphia.

**CONTINENTAL SCREEN COMPANY**

**DETROIT, MICH.**

---

---

---

---

# A N N O U N C E M E N T

**T**HIS catalogue has been designed particularly for the convenience of the salesmen of our distributors. It is pocket size, it will open easily, it is limited to the screen products commonly used in his particular territory. Necessarily more articles are illustrated herein than his own house can stock or catalogue. Hence this catalogue will enable him to show his customer any screen product that is salable in his territory. In addition to the illustrations of each pattern, a complete detailed set of specifications is



included so that the prospective customer may have all information. In short, we have attempted to portray our line as clearly and completely as possible, to the end that our distributors can sell it easily and profitably. While we appreciate that the distributor's salesman is overburdened with samples, catalogues, and other descriptive matter, we know that if he will use this catalogue it will prove helpful in building up his screen sales.

**CONTINENTAL SCREEN COMPANY**


---

---

---

---

# WALNUT STAIN SCREEN DOOR





Nos. 241 • 241G12

*Continental*

## A WALNUT STAINED DOOR

$1\frac{3}{16}$ " Finished Thickness

Stiles & Top Rail..... $2\frac{3}{4}$ "

Cross Rail..... $2\frac{3}{4}$ "

Cross Rail..... $1\frac{3}{4}$ "


Base Rail..... $5\frac{1}{2}$ "

No. 241—with 12 mesh Black Wire Cloth.

No. 241G12—with 12 mesh Galv. Wire Cloth.

Packed one-half dozen in a bundle.

# STANDARD TYPE SCREEN DOOR





# Nos. 281 • 281G12

# 288G12 • 288G14



## Dimensions

$1\frac{3}{16}$ " Finished Thickness

Stiles & Top Rail..... $3\frac{3}{4}$ "

Cross Rails (two)..... $1\frac{3}{4}$ "

Mullion (one).....1"

Base Rail..... $5\frac{1}{2}$ "

No. 281—Walnut Stain door with 12 mesh Black Wire Cloth.

No. 281G12—Walnut Stain door with 12 mesh Galvanized Wire Cloth.


Packed one-half dozen in a bundle.

No. 288G12—Made from selected clear lumber and the door finished in the natural wood with two coats of varnish. 12 mesh Galvanized Wire Cloth.

No. 288G14—Made from selected clear lumber and the door finished in the natural wood with two coats of varnish. 14 mesh Galvanized Wire Cloth.

Packed one-half dozen in a carton package.

# STANDARD TYPE SCREEN DOOR



# No. 314G14



Selected clear lumber finished in the natural wood with two coats of varnish.


**$1\frac{3}{16}$ " Finished Thickness**

Stiles & Top Rail . . . . .	$3\frac{3}{4}$ "
Cross Rails (two) . . . . .	$1\frac{3}{4}$ "
Mullion . . . . .	1"
Base Rail . . . . .	$5\frac{1}{2}$ "

No. 314G14—14 mesh Galvanized Wire Cloth.

Packed one-half dozen in a carton package.

# STANDARD TYPE SCREEN DOOR



# No. 384G14

*Continental*

Selected clear lumber finished in the natural wood with two coats of varnish.

$1\frac{3}{16}$ " Finished Thickness

Stiles & Top Rail . . . . .  $3\frac{3}{4}$ "

Cross Rails (two) . . . . .  $2\frac{3}{4}$ "


Base Rail . . . . .  $5\frac{1}{2}$ "

No. 384G14—14 Mesh Galvanized Wire Cloth.

Packed one-half dozen in a carton package.



# DOUBLE OR STORE DOORS



# No. 1491G14



*Continental*

Ponderosa Pine Double Doors finished in the natural wood with two coats of varnish.

1 $\frac{3}{32}$ " Finished Thickness

Stiles & Top Rail . . . . . 2 $\frac{3}{4}$ "

Cross Rails . . . . . 2 $\frac{5}{8}$ "

Base Rail . . . . . 5 $\frac{1}{2}$ "


No. 1491G14—14 mesh Galvanized Wire Cloth.

Stock sizes

2'x7'0", 2'x7'6", 2'x8'0".

Packed one-half dozen single doors in a carton package.

# PONDEROSA PINE SCREEN DOOR



# Nos. 1315 $\frac{1}{4}$ G14 • 1315 $\frac{1}{4}$ G16



A Ponderosa Pine door finished in the natural wood with three coats of durable varnish.

1 $\frac{3}{32}$ " Finished Thickness

Stiles & Top Rail. . . . . 3 $\frac{3}{4}$ "

Cross Rail. . . . . 3 $\frac{5}{8}$ "

Panel. . . . . 6 $\frac{1}{8}$ "

Base Rail. . . . . 7 $\frac{1}{4}$ "


No. 1315 $\frac{1}{4}$ G14—with 14 mesh Galvanized Wire Cloth.

No. 1315 $\frac{1}{4}$ G16—with 16 mesh Galvanized Wire Cloth.

Packed one-quarter dozen in a carton package.



# PONDEROSA PINE SCREEN DOOR





# Nos. 1355 $\frac{1}{2}$ G16 • W1355 $\frac{1}{2}$ G16 W1355 $\frac{1}{2}$ B16

*Continental*

A Ponderosa Pine door 1 $\frac{3}{32}$ " Finished Thickness.

Stiles & Top Rail . . . . .	3 $\frac{3}{4}$ "
Cross Rails (two) . . . . .	2 $\frac{3}{4}$ "
Mullions (two) . . . . .	2 $\frac{3}{4}$ "
Base Rail . . . . .	7 $\frac{1}{4}$ "


No. 1355 $\frac{1}{2}$ G16—Finished in the natural wood with three coats of durable varnish. 16 mesh Galvanized Wire Cloth.

No. W1355 $\frac{1}{2}$ G16—In the White (no finish) with 16 mesh Galv. Wire Cloth.

No. W1355 $\frac{1}{2}$ B16—In the White (no finish) with 16 mesh Bronze Wire Cloth.

Packed one-half dozen in a carton package.

**PONDEROSA PINE SCREEN DOOR**



No. W1455 $\frac{1}{2}$ G16



A Ponderosa Pine door—In the White (no finish).

1 $\frac{3}{32}$ " Finished Thickness

Stiles & Top Rail . . . . . 3 $\frac{3}{4}$ "


Cross Rails . . . . . 2 $\frac{3}{4}$ "

Base Rail . . . . . 7 $\frac{1}{4}$ "

16 mesh Galvanized Wire Cloth.

Packed one-half dozen in a carton package.

# PONDEROSA PINE SCREEN DOOR



# Nos. W1535 $\frac{1}{2}$ G16 • W1535 $\frac{1}{2}$ B16

*Continental*

A Ponderosa Pine door "In the White" (no finish).

1 $\frac{3}{32}$ " Finished Thickness

Stiles & Top Rail . . . . . 3 $\frac{3}{4}$ "

Cross Rails (three) . . . . . 3 $\frac{5}{8}$ "

Base Rail . . . . . 7 $\frac{1}{4}$ "


No. W1535 $\frac{1}{2}$ G16—With 16 mesh Galvanized Wire Cloth.

No. W1535 $\frac{1}{2}$ B16—With 16 mesh Bronze Wire Cloth.

Packed one-half dozen in a carton package.



# PONDEROSA PINE SCREEN DOOR



Nos. 1545 $\frac{1}{4}$ G14 • 1545 $\frac{1}{4}$ B16

W1545 $\frac{1}{4}$ G16 • W1545 $\frac{1}{4}$ B16

*Continental*

A Ponderosa Pine door.

1 $\frac{3}{32}$ " Finished Thickness

Stiles & Top Rail.....3 $\frac{3}{4}$ "

Cross Rails.....2 $\frac{5}{8}$ "

Panel.....6 $\frac{1}{8}$ "

Base Rail.....7 $\frac{1}{4}$ "

No. 1545 $\frac{1}{4}$ G14—Finished in the natural wood with three coats of durable varnish—14 mesh Galv. Wire Cloth.


No. 1545 $\frac{1}{4}$ B16—Finished in the natural wood with three coats of durable varnish—16 mesh Bronze Wire Cloth.

No. W1545 $\frac{1}{4}$ G16—"In the White" (no finish) with 16 mesh Galv. Wire Cloth.

No. W1545 $\frac{1}{4}$ B16—"In the White" (no finish) with 16 mesh Bronze Wire Cloth.

Packed one-quarter dozen in a carton package.

# COMBINATION SCREEN AND STORM DOOR



The Continental panel lock is an important feature of Combination Screen and Storm Doors.

Each half turn of screw operating lock increases its pressure and holds the panel firmly, thereby eliminating the rattling of the removable panels.



Patent No. 1329427

# Nos. 8/O G14 • 8/O G16 • 8/O B16 8/G G14 • 8/G G16 • 8/G B16

## A PONDEROSA PINE COMBINATION SCREEN AND STORM DOOR

### "IN-THE-WHITE"

1 $\frac{3}{32}$ " Finished Thickness

Door Stiles & Top Rail.....4 $\frac{3}{4}$ "

Base rail & lower panels vary according to height of door. (See note.)

All sash sections furnished with wood beads for glass.

#### No. 8/O G14

Screen Panel—wired with 14 mesh Galv.

Storm Panel—has 8 lts. open (not glazed)

#### No. 8/O G16

Screen Panel—wired with 16 mesh Galv.

Storm Panel—has 8 lts. open (not glazed)

#### No. 8/O B16

Screen Panel—wired with 16 mesh Bronze

Storm Panel—has 8 lts. open (not glazed)

#### No. 8/G G14

Screen Panel—wired with 14 mesh Galv.

Storm Panel—has 8 lts. glazed.

#### No. 8/G G16

Screen Panel—wired with 16 mesh Galv.

Storm Panel—has 8 lts. glazed.

#### No. 8/G B16

Screen Panel—wired with 16 mesh Bronze.

Storm Panel—has 8 lts. glazed.

Note: Screen & Storm Panels on all doors are the same height—adjustment for height is made in the door frame.

Packed three doors in a carton.




# COMBINATION SCREEN AND STORM DOOR



The Continental panel lock is an important feature of Combination Screen and Storm Doors.

Each half turn of screw operating lock increases its pressure and holds the panel firmly, thereby eliminating the rattling of the removable panels.



Patent No. 1329427



# Nos. E12/O G14 • E12/O G16 E12/O B16 • E12/G G14 E12/G G16 • E12/G B16

## A PONDEROSA PINE COMBINATION SCREEN AND STORM DOOR

*"IN-THE-WHITE"*

1 $\frac{3}{32}$ " Finished Thickness

Door Stiles & Top Rail.....4 $\frac{3}{4}$ "

Base Rail & lower panels vary according to height of door. (See note.)

All sash sections furnished with wood beads for glass.

### No. E12/O G14

Screen Panel—wired with 14 mesh Galv.

Storm Panel—has 12 equal lts. open (not glazed).

### No. E12/O G16

Screen Panel—wired with 16 mesh Galv.

Storm Panel—has 12 equal lts. open (not glazed).

### No. E12/O B16

Screen Panel—wired with 16 mesh Bronze.

Storm Panel—has 12 equal lts., open (not glazed).

### No. E12/G G14

Screen Panel—wired with 14 mesh Galv.

Storm Panel—has 12 equal lts. glazed.

### No. E12/G G16

Screen Panel—wired with 16 mesh Galv.

Storm Panel—has 12 equal lts. glazed.

### No. E12/G B16


Screen Panel—wired with 16 mesh Bronze.

Storm Panel—has 12 equal lts. glazed.

Note: Screen and Storm Panels on all doors are the same height—adjustment for height is made in the door frame.

Packed three doors in a carton.

# CONTINENTAL EXTENSION WINDOW SCREEN



Continental Screens are made from thoroughly seasoned hardwood, slide easily, lock securely in position, are finished attractively in oil, and are packed in sturdy dust proof cartons.



# HARDWOOD EXTENSION WINDOW SCREENS WITH NEW **SAFE** LOCK


Patent No. 2015454

Hardwood, Oiled  
14-Mesh Galvanized Wire Cloth

No.	High	Closed	Open
933G14	9"	21"	33"
1233G14	12"	21"	33"
1533G14	15"	21"	33"
1545G14	15"	27"	45"
1824G14	18"	14"	24"
1833G14	18"	21"	33"
1837G14	18"	23"	37"
1845G14	18"	27"	45"
2033G14	20"	21"	33"
2233G14	22"	21"	33"
2433G14	24"	21"	33"
2437G14	24"	23"	37"
2441G14	24"	25"	41"
2445G14	24"	27"	45"
2833G14	28"	21"	33"
2837G14	28"	23"	37"
2841G14	28"	25"	41"
2845G14	28"	27"	45"
3033G14	30"	21"	33"
3037G14	30"	23"	37"
3045G14	30"	27"	45"
3060G14	30"	34"	60"
3237G14	32"	23"	37"
3245G14	32"	27"	45"
3637G14	36"	23"	37"
3645G14	36"	27"	45"

Packed one dozen in a carton.

# METAL FRAME EXTENSION WINDOW SCREENS



Continental Metal Frame Extension Window Screens are made with narrow black enameled steel frames, are wired with 14 Mesh Galvanized Wire Cloth, and are furnished in the five sizes shown below.

No.	High	Closed	Open
12G14	12"	18"	33"
15G14	15"	18"	33"
18G14	18"	18"	33"
24G14	24"	18"	33"
24AG14	24"	20"	37"

Packed one dozen in a carton.



# FULL-SIZE WINDOW SCREEN



Ponderosa Pine Frames "in the white," with mortised and tenoned joints, and flush mitered moulding.

$1\frac{3}{32}$ " or  $1\frac{3}{16}$ " Finished Thickness

Stiles & Top Rail . . . . .  $2\frac{1}{8}$ "

Center Rail . . . . . 1"

Base Rail . . . . .  $3\frac{3}{4}$ "

Screens for Philadelphia and Baltimore openings are furnished with  $2\frac{3}{8}$ " stiles and top rails, and with wider base rails.


Furnished in either 14 or 16 mesh Galvanized Wire or in 16 mesh Antique Bronze.

Note: In ordering these screens, specify size of glass, number of lts. and thickness of frame.

Packed twelve screens in a crate.



# CUSTOM KNOCKDOWN WINDOW SCREEN FRAME



**STA-SQUARE** Continental's new corner brace locks any screen frame in position, is easily applied, and can be fitted inconspicuously under the screen moulding. Furnished in Sherardized steel with screws. Set of four braces in a carton.

# "CUSTOM" KNOCKDOWN WINDOW SCREEN FRAME

A Ponderosa Pine Knockdown Window Screen Frame. Stiles and rails  $\frac{3}{4}" \times 1\frac{1}{2}"$ . Stiles grooved for T slide sticks. Flush Moulding. Two holes bored for each corner. Cement coated nails furnished for the corners, brads for the moulding and T slide strips. Size 48x96 is furnished in  $\frac{7}{8}" \times 1\frac{3}{4}"$  with a center bar and without T slide strips. Each frame packed in an individual carton, two dozen in a crate, except size 48x96 (one dozen in a crate).

## "IN-THE-WHITE"

Without "Sta-Square" Corner Brackets


	Width	Height
No. M3030	30"	30"
No. M3636	36"	36"
No. M4242	42"	42"
No. M4848	48"	48"

## "IN-THE-WHITE"

With "Sta-Square" Corner Brackets

	Width	Height
No. MH3030	30"	30"
No. MH3636	36"	36"
No. MH4242	42"	42"
No. MH4848	48"	48"
No. MH4896	48"	96"

# CONTINENTAL KNOCKDOWN WINDOW SCREEN FRAME



This Continental Knockdown Window Screen Frame is made of Ponderosa Pine. Stiles and Rails  $\frac{3}{4} \times 1\frac{1}{4}$  inches. Screen moulding covers entire face of frame. Stiles grooved for T slides which are furnished together with necessary nails. "Sta-Square" corner braces and screws. Packed individually in cartons, two dozen in a crate.

## *"IN-THE-WHITE"*

	Width	Height
No. B3030	30"	30"
No. B3636	36"	36"
No. B4242	42"	42"
No. B4848	48"	48"

# "DEFLEKTAIR" METAL CENTER WINDOW VENTILATORS



The Continental Deflektair Ventilator is furnished in natural finish or stained hardwood frame with enameled metal center louvers. Each Ventilator equipped with Continental's patented **'SAFE' Lock**.

Patent No. 2015454

No.	Size	Height	Adjustable
824	8x24	8 inches	14 to 24 inches
83	8x33	8 "	21 to 33 "
87	8x37	8 "	21 to 37 "
88	8x48	8 "	27 to 48 "
117	11x37	11 "	21 to 37 "
118	11x48	11 "	27 to 48 "

Packed one dozen in a carton.

# CONTINENTAL SCREEN MOULDING



No. 2. Ponderosa Pine  $\frac{5}{8}$ " Flush Moulding "in-the-white." Furnished in 7-foot lengths, 500 lineal feet to a bundle.

## CONTINENTAL STA-SQUARE CORNER BRACE FOR WINDOW SCREEN FRAMES



No. 20—Sherardized Steel

Each set consists of four corners with screws, packed individually. One dozen sets in a carton; one-half gross in a case.



# SPECIAL INFORMATION

## CONSTRUCTION

Continental Screen Doors and Combination Doors are all mortised and tenoned, glued and/or pinned. Joints  $\frac{7}{8}$ " x 3" and less are full mortised. All others are blind mortised. Flush mitered moulding is placed over the wire cloth which in turn is held in a groove drum-head tight, each separate strand of wire being held in place. Only standard weight wire cloth (including Bronze) is used. OGee sticking is used on the inside edge opposite the moulded side. The outside edges of the doors are rounded slightly to prevent splitting.

Combination Doors are furnished open and glazed with wood stops.

## OVERSIZE

Doors are made one inch longer and a trifle wider than regular sizes to allow for trimming. Doors one-half inch wider can also be furnished for stock.

## PACKING

Except where especially noted all Screen Doors and Combination Doors are packed in heavy corrugated Fibre Board held together firmly with three metal straps. Extension Window Screens, Ventilators and K.D. Frames are packed in cartons.

## MATERIALS AND WORKMANSHIP

Lumber is thoroughly seasoned. Only wire cloth of standard quality and weight is used. Highest quality varnishes are employed. "Continental" means a com-

---

---

---

---

## SPECIAL INFORMATION—(Continued)

bination of best materials and careful workmanship. All Continental products are guaranteed to be first quality.

### CLAIMS AND DEDUCTIONS

All claims for shortage or imperfect goods must be reported immediately upon arrival of same, and satisfactory adjustment will be promptly made for any shortage or imperfection for which we are responsible.

When goods are sold "freight allowed," we reserve the privilege of routing same.

We require the original paid expense bill on all shipments before credit can be given for freight allowances.

Our responsibility for goods in transit ceases when they pass into the hands of the carrier, who alone is responsible to the consignee for any loss or damage sustained in transportation. We will, however, render every assistance possible to trace and recover lost goods, or collect damages, but in no instance will settlement of our account be subject to the arrival of goods at destination.

### QUANTITIES REQUIRED FOR CAR-LOAD SHIPMENTS

	Doz. to a car
Screen Doors.....	90 to 130
Extension Window Screens.....	500 to 750
Window Screen Frames.....	450 to 600
Full Size Window Screens.....	200 to 250

## SPECIAL INFORMATION—(Continued)

### WEIGHT REQUIRED FOR MINIMUM CARLOADS

East of Mississippi River . . 18,000 lbs.

West of Mississippi River . 24,000 or 30,000 lbs.

South of Ohio River . . . . 18,000, 24,000 or 30,000 lbs.

According to respective railway classifications.

### APPROXIMATE WEIGHT OF SCREEN DOORS AND WINDOW SCREENS

	Lbs. per dozen
Doors $\frac{7}{8} \times 3$ . . . . .	175
Doors $\frac{7}{8} \times 4$ . . . . .	200
Doors $1\frac{1}{8} \times 3$ . . . . .	200
Doors $1\frac{1}{8} \times 4$ . . . . .	250
Combination Doors Open . . . . .	480
Combination Doors Glazed . . . . .	600
Extension Window Screens . . . . .	25 to 50
K.D. Frames . . . . .	35 to 45
Full Size Window Screens . . . . .	70 to 125

---

---

---

---

---

# SALES HELPS

## ADVERTISING MATERIAL FOR IMPRINT

The Continental Screen Company has provided a number of attractive two-color circulars which it will imprint for distribution in your mailings to your dealers. Several of these are general in character like Circular No. 414 (size  $3\frac{1}{8}"$  x  $6\frac{1}{16}"$  titled Fly Time); others deal specifically with particular items such as Combination Doors (Circular No. 415-E illustrating the 8/G Door), Deflektair (Circular No. 1), Full Size Window Screens (Circular No. 412), etc.

Other circulars, catalog pages and illustrated material are in the course of preparation. In writing for advertising helps mention the particular items you wish to push with your dealers so that you may be supplied with the proper sales literature.

---

---

---

---

## SALES HELPS—(Continued)

### ELECTROTYPES AND NEWSPAPER MATS

The Continental Screen Company carries in stock new electrotypes, size  $\frac{7}{8}$ " wide by  $2\frac{1}{4}$ " high made from new halftones. These are designed for use in printing your own catalog pages and will be furnished free upon request.

For your retail customers who are desirous of advertising Continental products in local newspapers or for local "broadside" distribution, newspaper mats size  $\frac{5}{8}$ " wide by  $1\frac{1}{2}$ " high have been prepared.

When ordering cuts please give the identifying number of the item you wish to illustrate, advise the size of the electrotypes or mat desired and advise the purpose for which it will be used.

---

---

---

---



# TELEGRAPHIC CODE

## Correspondence from Buyer

Ship us at once..... Gain  
 Ship soon as possible... Glass  
 Quote by wire..... Game  
 Quote by mail..... Gate  
 How soon can you ship?..... Gift  
 Name freight rates.... Glen  
 Invoice to us and ship to..... Goal  
 Add to our order..... Gray  
 Send tracer for shipment of..... Gong  
 12-Mesh Galvanized.... Gable  
 14-Mesh Galvanized.... Gaiter  
 16-Mesh Galvanized.... Gallant  
 14-Mesh Bronze..... Gasket  
 16-Mesh Bronze..... Gather  
 1<sup>3</sup>/<sub>16</sub>-in. thick..... Garment  
 1<sup>1</sup>/<sub>8</sub>-in thick..... Garland  
 In the White..... Glade  
 1 in. oversize in width... Gleam

## Quantities

1/4 dozen... Eat  
 1/2 dozen... Earl  
 1 dozen... Earn  
 1 1/2 dozen... Earning  
 2 dozen... Easier  
 2 1/2 dozen... Easy  
 3 dozen... Easton  
 4 dozen... Elm  
 5 dozen... Elk  
 6 dozen... Elect  
 7 dozen... Else  
 7 1/2 dozen... Elegy  
 8 dozen... Engross  
 9 dozen... Enroll  
 10 dozen... Ensure  
 12 dozen... Enter  
 15 dozen... Entry  
 20 dozen... Envoy  
 25 dozen... Epoch  
 30 dozen... Equal  
 35 dozen... Era  
 40 dozen... Erect  
 50 dozen... Essay  
 60 dozen... Even  
 75 dozen... Event  
 100 dozen... Ever  
 125 dozen... Expert  
 150 dozen... Extent

## Correspondence from Seller

We quote f.o.b. your city... Cadet  
 Can ship at once if ordered immediately.... Cane  
 Can ship part at once, balance..... Cape  
 Can ship in a day or so.... Care  
 Can ship in about a week..... Case  
 Can ship in about two weeks..... Chain  
 We expect to ship..... Civil  
 Shall we ship?..... Class  
 Cannot ship as ordered.... Clerk  
 Shall we substitute?..... Coal  
 Will write fully..... Cone  
 Part shipped, balance.... Cord

## Quantities (Cont'd)

175 dozen... Edge  
 200 dozen... Edict  
 250 dozen... Embark  
 300 dozen... Ember  
 400 dozen... Emblem  
 450 dozen... Embody  
 500 dozen... Emboss  
 600 dozen... Empire

## Door Sizes

2-6x6-6..... Able  
 2-6x6-8..... Abide  
 2-6x7..... Abode  
 2-8x6-8..... Acme  
 2-8x6-10.... Acorn  
 2-8x7..... Atom  
 2-8x7-6..... Allay  
 2-10x6-10... Acre  
 2-10x7..... Abe  
 2-10x7-6.... Adopt  
 3x6-8..... Amber  
 3x7..... Annoy  
 3x7-6..... Among  
 3x8..... Appeal  
 2x7..... Artful  
 2x7-6..... Amos  
 2x8..... Adorn

## Combination Doors

575G14..... Sauce  
 3/O-G14.... Sane  
 3/O-G16.... Sash  
 3/O-B16.... Scant  
 3/G-G14.... Scalp  
 3/G-G16.... Scroll  
 3/G-B16.... Scrub  
 6/G-G14.... Satin  
 6/G-G16.... Salute  
 6/G-B16.... Satan  
 8/O-G14.... Sand  
 8/O-G16.... Shawl  
 8/O-B16.... Shaft  
 8/G-G14.... Sandal  
 8/G-G16.... Signet  
 8/G-B16.... Shrewd  
 12/O-G14... Skid  
 12/O-G16... Slave  
 12/O-B16... Sling  
 12/G-G14... Slick  
 12/G-G16... Spade  
 12/G-B16... Snap  
 E12/O-G14.. Skirt  
 E12/G-G14.. Sleep  
 E12/O-G16.. Skit  
 E12/G-G16.. Skin

# TELEGRAPHIC CODE—(Continued)

Combination Doors (Cont'd)	Screen Doors (Cont'd)	Ponderosa Pine Doors (Cont'd)
E12/O-B16... Sky	313..... Blood	1296N..... Waft
E12/G-B16... Slam	313G12.... Blame	1296NG14... Waif
	313G14.... Blacken	1296NG16... Whiz
<b>Screen Doors</b>	314..... Bloom	1301..... Wand
167G12.... Bane	314G14.... Blotter	1301G14.... Wander
167G14.... Baste	314G16.... Blossom	1301G16.... Wrist
168G12.... Bare	315¼ G14... Blowing	1311..... Worship
168G14.... Bark	315¼ G16... Blown	1311G14.... Wound
231..... Babe	315¼ B16... Blimp	1311G16.... Worth
231G16.... Bandit	W315½ G16 Blocking	1315¼ G14... Work
236..... Bacon	316G14.... Blockade	1315¼ G16 Worker
236G16.... Bad	316G16.... Bobbin	1315¼ B16... Working
240..... Bail	316B16.... Bodkin	1315½ G14... Waitress
240G14.... Bailer	324G14.... Builder	1315½ G16 Wanton
240G16.... Bailiff	325G14.... Building	1315½ B16... Wasted
241..... Bank	333G14.... Bone	1331N..... Waggle
241G12.... Banking	333G16.... Bonnet	1331NG14... Whistle
243..... Bait	355¼ G14... Bottle	1331G16.... Wheel
243G12.... Blast	355¼ G16... Boot	1333..... Wherry
243G14.... Bake	381G14.... Bowler	1333G14.... Whet
243G16.... Balk	381G16.... Body	1333G16.... Whetstone
W243G16... Ball	384..... Brad	1353..... Wake
266..... Beer	384G14.... Brag	1353G14.... Wall
266G12.... Beam	444G14.... Broad	1355¼ G14... Wool
266G14.... Bead	457G12.... Broach	1355¼ G16... Woolen
266G16.... Beard	457G14.... Broken	1355¼ B16... Wood
273..... Beat	510¼ G16... Brood	1355½..... Waive
273G14.... Beckon	W510¼ G16 Broom	1355½ G14... Wakeful
272G16.... Beetle	520B16.... Brother	1355½ G16... Walking
W273G16... Beast	535¼ G16... Bruin	1381..... Word
276..... Bin	W535½ G16 Brush	1381G14.... Wont
276G14.... Binder	545¼ G14... Bulk	1451..... Weld
276G16.... Bishop	545¼ G16... Bullet	1451G14.... Wax
281..... Bliss	618B16.... Bushel	1491G14.... Wound
281G12.... Blur	711G14.... Bundle	1510½ G14... War
288..... Blind		1535G14.... Walrus
288G12.... Blonde	<b>Ponderosa</b>	1539¼ G14... Warmth
288G14.... Blithe	<b>Pine Doors</b>	1545¼ G14... Worst
288G16.... Blinder	915G16.... Weave	1545¼ B16... Worsted
296..... Blade	915B16.... Weaving	1755G14.... Wilful
296G14.... Blanket	1273..... Wrap	1755B16.... Windy
296G16.... Blaze	1273G14.... Wrapper	
301..... Blunt	1273G16.... Wrapping	<b>Ponderosa</b>
301G14.... Blunder	1276..... Wrestler	<b>Pine Doors</b>
301G16.... Blurt	1276G14.... Wrestler	"In the White"
W301G16... Blight	1276G16.... Wrestling	W915G16.... Wove
304G14.... Build	1294..... Wary	W915B16.... Woven
311..... Block	1294G14.... Warbling	W1273.... Watchful
311G14.... Blush	1294G16.... Wreck	W1273G14... Whiff
311G16.... Bluster	1296..... Wad	W1273G16... Whig
311NG14.... Blouse	1296G14.... Wade	W1288G16... Wren
311NG16.... Blousing	1296G16.... Whirling	W1293G14... Wasteful

# TELEGRAPHIC CODE—(Continued)

## Ponderosa Pine Doors "In the White" (Cont'd)

W1293G16..Wealth  
W1294.....Waltz  
W1294G14..Weapon  
W1294G16..Woe  
W1296.....Walk  
W1296G14..Walker  
W1296G16..Weary  
W1296N....Wallet  
W1296NG14Watch  
W1296NG16Weather  
W1312G14..Wail  
W1312G16..Wailing  
W1315½G14

Warble

W1315½G16

Wedding

W1315½B14Ween  
W1315½B16Wedlock  
W1317B16..Wrought  
W1333.....Warren  
W1333G14..Washer  
W1333G16..Watt  
W1383G14..Warm  
W1353G16..Weight  
W1355½....Warden  
W1355½G14

Wardrobe

W1355½G16

Weird

W1355½B16Welfare  
W1451.....Ward  
W1451G14..Ware  
W1451G16..Welsh  
W1455½G16West  
W1510½G14Wicked  
W1510½G16Wharf  
W1510½B16Wheat  
W1535½G14Wasp  
W1535½G16Whim  
W1535½B16Whip  
W1539¼G14Wilder  
W1539¼G16Willow  
W1539¼B16Wine  
W1540¼B16Wing  
W1545¼G16Wipe  
W1545¼B16Wisdom

## Extension Screens

933.....Dandy  
1233.....Dude

## Extension Screens (Cont'd)

1533.....Dave  
1545.....Dearth  
1833.....Dado  
1845.....Desk  
2233.....Dash  
2433.....Dale  
2437.....Daisy  
2441.....Defy  
2837.....Dace  
3033.....Dance  
3037.....Dean  
3045.....Dove  
3237.....Dead  
3637.....Deck  
3645.....Deep

## Ext. Screens 12-M. Galv.

933G12...Label  
1233G12...Ladle  
1533G12...Lamp  
1545G12...Land  
1833G12...Lapse  
1845G12...Larva  
2433G12...Last  
2437G12...Lattice  
2441G12...Leak  
2837G12...Ledge  
3033G12...Lobby  
3037G12...Lode  
3045G12...Logic  
3637G12...Lynch  
3645G12...Lynx

## Ext. Screens 14-M. Galv.

933G14...Tablet  
1233G14...Tabor  
1533G14...Tack  
1545G14...Tense  
1824G14...Tailor  
1833G14...Talc  
1837G14...Talcum  
1845G14...Talk  
2033G14...Talent  
2233G14...Tallow  
2433G14...Talon  
2437G14...Tang  
2441G14...Tangle  
2445G14...Tango  
2833G14...Taper  
2837G14...Tar

## Ext. Screens 14-M. Galv. (Cont'd)

2841G14..Tartar  
2845G14..Task  
3033G14..Tassel  
3037G14..Tattoo  
3045G14..Tavern  
3060G14..Tawny  
3237G14..Target  
3245G14..Tax  
3637G14..Taxi  
3645G14..Tent

## 16-Mesh Galv.

1833G16..Keel  
2433G16..Kent  
2437G16..Key  
2837G16..Knot  
3037G16..Kite  
3637G16..King

## Metal Frame Screens

12G14...Madge  
15G14...Mass  
18G14...Major  
24G14...Male  
24AG14...Match

## Screen Frames

B-3030...Nap  
B-3636...Nail  
B-4242...Never  
B-4848...Nice  
M-3030...Jacket  
M-3636...Jar  
M-4242...Jaunt  
M-4848...Jail  
MH-3030..Hand  
MH-3636..Head  
MH-4242..Hen  
MH-4848..Herd  
MH-4896..Hide

## Deflektairs

83.....Velvet  
87.....Venture  
88.....Verdict  
117.....Verge  
118.....Verb  
824.....Verse

# MEMORANDA

# MEMORANDA



# MEMORANDA



PLASTIC BINDING CORP.  
U. S. Pat. No. 1970285  
732 Sherman St., Chicago



*Continental*

SCREEN  
DOORS

WINDOW  
SCREENS

EASTERN